## PAPER • OPEN ACCESS

# Liquid Xenon detector R&D for 0v2ß search (KamXP)

To cite this article: Kota Ueshima 2020 J. Phys.: Conf. Ser. 1468 012138

View the article online for updates and enhancements.

# You may also like

- <u>A novel calibration for L-shell x-ray</u> <u>fluorescence measurements of bone lead</u> <u>concentration using the strontium K/K ratio</u> Mihai R Gherase, Blaz Serna and Sarah Kroeker
- A microbeam grazing-incidence approach to L-shell x-ray fluorescence measurements of lead concentration in bone and soft tissue phantoms Mihai Raul Gherase and Summer Al-Hamdani
- L-shell x-ray fluorescence measurements of lead in bone: accuracy and precision Andrew C Todd, Spencer Carroll, Ciaran Geraghty et al.





DISCOVER how sustainability intersects with electrochemistry & solid state science research



This content was downloaded from IP address 3.145.64.241 on 13/05/2024 at 02:54

Journal of Physics: Conference Series

# Liquid Xenon detector R&D for $0\nu 2\beta$ search (KamXP)

### Kota Ueshima

Research Center for Neutrino Science, Tohoku University, Sendai 980-8578, Japan

1468 (2020) 012138

E-mail: ueshima@awa.tohoku.ac.jp

Abstract. The R&D for a new type of liquid xenon (LXe) detector is ongoing to search for the neutrinoless double-beta decay  $(0\nu 2\beta)$ . As a result of the KamLAND-Zen experiment, it is very important to realize the all active region detector for the energy deposition of the radiation. Newly developed additional BG reduction techniques will improve the sensitivity of  $0\nu 2\beta$  search in the future. Our detector concept is LXe stored in a new type of plastic scintillator vessel. The wavelength of LXe scintillation light is shifted to visible light from 175nm (VUV) on the inner surface of the vessel. Therefore, the LXe scintillation light can be detected by photon sensors which are far away from the  $0\nu 2\beta$  target nuclei. The pulse shape difference between LXe and plastic scintillator is used for the additional BG reduction. In the future, <sup>8</sup>B solar neutrino events will be one of the dominant BGs in  $0\nu 2\beta$  search. To reduce the <sup>8</sup>B solar neutrino BG, the directional information of the Cherenkov light might be useful. The status of LXe detector R&D to improve the sensitivity of  $0\nu 2\beta$  search is reported.

#### 1. Introduction

By the discovery of the atmospheric neutrino oscillation[1], it was found that the neutrino had finite mass. However, the neutrino mass scale is still not understood. If  $0\nu 2\beta$  signal is observed, there are very important impacts for particle physics, such as the effective neutrino mass, mass hierarchy determination and evidence of Majorana particle. In addition, the  $0\nu 2\beta$  is a lepton number violating process.

There are many  $0\nu 2\beta$  search experiments in the world using various detectors and BG reduction techniques. We started R&D to improve the sensitivity for  $0\nu 2\beta$  search, so called Kamioka double beta decay search using LXe stored in plastic scintillator vessel (KamXP). The current main BGs of  $0\nu 2\beta$  search in the KamLAND-Zen experiment [2] are <sup>214</sup>Bi, <sup>10</sup>C and  $2\nu 2\beta$ tail events. Usually <sup>214</sup>Bi events are tagged using Bi-Po continuum decay. However, in case that the  $\alpha$ -particle emitted by the <sup>214</sup>Po decay stops in the mini-balloon film which is a dead region for the energy deposition by radiation, the <sup>214</sup>Bi events become BG for the  $0\nu 2\beta$  search. Using a plastic scintillator vessel, there is no dead region for the energy deposition by radiation. Therefore, the <sup>214</sup>Bi events are reduced by the tagging of Bi-Po continuum decay. <sup>10</sup>C is the spallation product caused by cosmic ray muons. In LXe there is almost no carbon, so the BG of  ${}^{10}$ C could be reduced drastically. In addition, the diameter of the plastic scintillator vessel is only 90 cm even if 1 ton LXe is stored. Therefore, a very compact volume is realized to search for  $0\nu 2\beta$ .

The pulse shape discrimination (PSD) study of LXe was performed for direct dark matter searches [3-6]. In the present R&D, the PSD between LXe and plastic scintillator is used for the

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

additional BG reduction to improve the sensitivity of  $0\nu 2\beta$  search.

# 2. Plastic scintillator vessel development

The wavelength of LXe scintillation light is 175nm (VUV). To detect a light signal with PMTs which are far away from the LXe target, the wavelength of the LXe scintillation light has to be shifted to visible light[7]. Tetra-phenyl butadiene (TPB) was used as a wavelength shifter in the present work. We developed new types of TPB doped plastic scintillator vessel using various plastics. The base of normal plastic scintillator is polystyrene. At first, 4 cm diameter small vessel was developed using 3 wt% TPB doped in normal plastic scintillator. Figure 1 shows the pulse shape difference between wavelength shifted LXe scintillation light and plastic scintillator scintillator light. The organic solvent resistance of the polystyrene is very weak. Therefore the polystyrene based plastic scintillator can not be used in organic liquid scintillator.

In the present R&D two types of plastic were used for vessel development. Polyethylene naphthalate (PEN) and Tritan<sup>TM</sup> have excellent properties for organic solvent resistance, mechanical strength and low temperature. Figure 2 shows the developed new plastic scintillator vessels. Figure 3 shows the Tritan<sup>TM</sup> based of the vessel doped with 2 wt% of TPB. The diameter of the vessel is 20 cm. About 10 kg LXe could be stored in the vessel.



**Figure 1.** The average scintillation light waveform of LXe and plastic scintillator in the selected same charge range.



Figure 2. The developed new plastic scintillator vessels.



**Figure 3.** Tritan<sup>TM</sup> based plastic scintillator vessel.

Journal of Physics: Conference Series

# 3. Cherenkov ring detection method and R&D setup

The extraction of the Cherenkov light component from the detected total light waveform is very difficult. The Cherenkov light component contains only a few % of the organic liquid scintillator scintillation light[8].

In this work the LXe scintillation light is absorbed on the inner surface of the plastic scintillator vessel and re-emitted. In contrast, the Cherenkov light is passing through the plastic scintillator vessel and detected by PMTs directly. Therefore, the rise time of the waveform of LXe scintillation light might be slow as shown in Figure 1. Using the rising component of the waveform, the Cherenkov light component in LXe scintillation light might be detected effectively. The directional information will be extracted from LXe scintillation light using the Cherenkov ring information.

Figure 4 shows the detector setup to detect Cherenkov light. The detector consists of the plastic scintillator vessel, transparent adiabatic vacuum vessel and PMTs. Seven 2-inch squared 2x2 multi anode PMTs (R12699) and two 2-inch PMTs (R6041) were used for Cherenkov light detection as shown in Figure 5. The typical transit time spread value (FWHM) is 0.41 ns (R12699) and 0.75 ns (R6041), respectively. In addition, to increase the light yield of the wavelength shifted LXe scintillation light, 8-inch PMT (R5912) and 2-inch PMT were also mounted at the bottom and the equator. The total 32 channels of PMT signals were measured by 2 FADCs (CAEN DT5742B). The sampling frequency of the waveform could be chosen from 750 MS/s to 5 GS/s. At this time about 1 kg LXe was installed in the plastic scintillator vessel to test the LXe stability in the cryostat. The LXe temperature and pressure could be controlled at 170 K and 0.035 MPaG, respectively.



Figure 4. Cryostat for Cherenkov light detection. The  $\phi$  20 cm plastic scintillator vessel and transparent adiabatic vacuum vessel.



Figure 5. PMT array for Cherenkov light detection.

# 4. Current status

The LXe scintillation light was measured using a  ${}^{60}$ Co source. The wavelength shifted scintillation light was observed using 1 kg LXe. In addition, the preliminary PSD performance between plastic scintillator and wavelength shifted LXe scintillation was evaluated using 8-inch PMT data. The *PSD ratio* was defined by the prompt scintillation light detected in the first 20 ns divided by the total amount of the scintillation light. Figure 6 shows the preliminary PSD performance of before and after the 1 kg LXe filled into the Tritan<sup>TM</sup> based vessel. The amount of LXe will be increased to about 10 kg this year. The extraction efficiency of the directional information from the detected light waveform will be evaluated.

### Journal of Physics: Conference Series



**Figure 6.** Preliminary PSD performance between wavelength shifted LXe scintillation and  $\operatorname{Tritan}^{TM}$  based plastic scintillator.

#### 5. Summary

The status of LXe detector R&D to improve the sensitivity of the  $0\nu 2\beta$  search is reported. To realize the all active region detector for the energy deposition of radiation, the new type of plastic scintillator vessels were developed. In addition, to reduce <sup>8</sup>B solar neutrino BG using directional information of Cherenkov light, the Cherenkov light detection setup was developed. The PSD performance between LXe and plastic scintillator was studied using 1 kg LXe. We will evaluate the extraction efficiency of the directional information using the Cherenkov light component at the 2.5 MeV signal region.

#### Acknowledgments

This work is supported by the Japan Society for the Promotion of Science (JPSP) Grant-in-Aid for Young Scientists (A), Project Number 17H04834.

### References

- [1] Y.Fukuda et al. Phys. Rev. Lett. 81 (1998) 1562
- [2] A.Gando et al. Phys. Rev. Lett. 117 (2016) 082503
- [3] R.Bernabei et al. Phys. Lett. B 436 (1998) 379
- [4] G.J.Alner et al. Astropart. Phys. 23 (2005) 444
- [5] J.Kwong et al. Nucl. Instr. and Meth. A 612 (2010) 328
- [6] K.Ueshima et al. Nucl. Instr. and Meth. A 659 (2011) 161
- [7] K.Ueshima et al. Nucl. Instr. and Meth. A 594 (2008) 148
- [8] C.Aberle et al. JINST 9 (2014) P06012