PAPER • OPEN ACCESS

Nuclear spectroscopy of r-process nuclei using KEK Isotope Separation System

To cite this article: Y. Hirayama et al 2020 J. Phys.: Conf. Ser. 1643 012138

View the article online for updates and enhancements.

You may also like

- <u>Design of KEK Test Machine for Mo</u> <u>Isotope Separation Based on Ion</u> <u>Cyclotron Resonance Plasma Separation</u> Kazuhito Ohmi, Takao Inagaki, Hiromichi Kichimi et al.
- Investigation on Lithium Isotope Fractionation with Diffusion, Electrochemical Migration, and Electrochemical Isotope Effect in PEO-PC Based Gel Electrolyte Zongliang Zhang, Prashant K. Sarswat, Arun Murali et al.
- <u>The scientific career of V S Letokhov (10</u> <u>November 1939–21 March 2009</u> Victor I Balykin





DISCOVER how sustainability intersects with electrochemistry & solid state science research



This content was downloaded from IP address 3.137.218.215 on 02/05/2024 at 01:27

Journal of Physics: Conference Series

doi:10.1088/1742-6596/1643/1/012138

Nuclear spectroscopy of r-process nuclei using KEK **Isotope Separation System**

Y. Hirayama¹, Y.X. Watanabe¹, M. Mukai², M. Ahmed^{2,1},

H. Ishiyama³, S.C. Jeong⁴, Y. Kakiguchi¹, S. Kimura³, J.Y. Moon⁴, M. Oyaizu¹, J.H. Park⁴, P. Schury¹, M. Wada¹, and H. Miyatake¹

¹ Wako Nuclear Science Center (WNSC), Institute of Particle and Nuclear Studies (IPNS), High Energy Accelerator Research Organization (KEK), Saitama 351-0198, Japan ² Graduate School of Pure and Applied Sciences, University of Tsukuba, Ibaraki 305-0006, Japan

³ Nishina Center for Accelerator-Based Science, RIKEN, Wako, Saitama 351-0198, Japan ⁴ Rare Isotope Science Project, Institute for Basic Science (IBS), Daejeon, 305-811, Republic of Korea

E-mail: yoshikazu.hirayama@kek.jp

Abstract. We developed KEK Isotope Separation System (KISS) for the nuclear spectroscopy of the nuclei in the vicinity of N = 126. The spectroscopy is important to identify the explosive astrophysical environment for the formation of the third peak in the observed solar r-abundance pattern. We report the experimental results of in-gas-cell laser ionization spectroscopy and β decay spectroscopy for the nuclei in the vicinity of $^{-198}$ Pt.

1. Introduction

The study of the β -decay half-lives and nuclear masses of waiting-point nuclei with N = 126is crucial to understand the explosive astrophysical environment for the formation of the third peak in the observed solar abundance pattern, which is produced by a rapid neutron capture process (r-process) [1]. For the nuclear spectroscopy in this heavy region, we have developed KEK Isotope Separation System (KISS) [2, 3, 4]. KISS is an argon-gas-cell-based laser ion source combined with an on-line isotope separator [5, 6, 7, 8, 9, 10]. The nuclei around N = 126are produced by multi-nucleon transfer reactions (MNT) [11] of ¹³⁶Xe beam and ¹⁹⁸Pt target [12]. We developed and installed high-efficiency detector system, which consists of new gas counter (MSPGC) [13] and Super Clover Ge detectors (SCGe) for β -particle and γ -ray detection, respectively. These enabled us to perform β -delayed γ -ray spectroscopy of ^{195,196,197,198}Os for the half-life measurements and study of β -decay schemes [14], and in-gas-cell laser ionization spectroscopy of ^{199g,199m}Pt [15] and ^{196,197,198}Ir [16] for determining the magnetic moments and the change of the charge-radii (deformation parameters) successfully. Here, we report the present status and experimental results at KISS, and future plan of KISS activities.

2. KISS

Figure 1 shows a schematic layout of KISS installed at the RIBF facility in RIKEN. It consists of a gas-cell system shown in the red box in Fig. 1, a laser system, a mass-separator system and a detector station for β -decay spectroscopy.

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

Journal of Physics: Conference Series

1643 (2020) 012138 doi:10.1088/1742-6596/1643/1/012138




Figure 1. Schematic view of KISS, and the KISS gas cell shown in the red box.

2.1. KISS gas cell system

Primary beam of 136 Xe²⁰⁺ with an energy of 10.75 MeV/nucleon and an intensity of 50 pnA irradiated an enriched 198 Pt (purity 91.63% and thickness 12.5 mg/cm²) target for the MNT reactions [12]. Then, the primary beam passed through a doughnut-shaped gas cell [4] (see Fig. 1) without entering the gas cell. Finally, the beam was stopped at a water cooled beam dump, which was placed far from the KISS gas cell.

The doughnut-shaped gas cell (see Fig. 1) was developed to increase production yields by suppressing the plasma effect induced by the primary beam and by increasing the primary beam intensity for the production. Using the new gas cell, we can successfully obtain one order of magnitude higher production yields than that obtained by using the old-type gas cell. Only the target-like fragments (TLFs) can be implanted into the gas cell with high efficiency, owing to the characteristic large emission angles of TLFs [2, 3]. Then, the TLFs neutralized in the argon gas were transported toward the exit by a optimized argon gas laminar flow [4]. We employed two kinds of two-color two-step laser resonance ionization techniques for selecting the atomic number Z. One is in-gas-cell laser ionization technique for β - γ spectroscopy and hyperfine structure measurements, and the other is in-gas-jet laser ionization technique [17] for precise hyperfine structure measurements and mass measurements of ground and isomeric states.

The laser-produced singly charged (q = 1) ions were transported through a S-shaped pseudo-RFQ (S-RFQ) and sextupole ion guide (SPIG) [18], and were accelerated with an energy of 20 kV. Their mass-to-charge ratio (A/q) was selected by a dipole magnet with $m/\Delta m = 900$. Finally, one kind of isotope was transported to the detector station placed at the neighboring experimental hall for the decay measurements. Recently, we installed a new branch for mass measurements by using a Multi-Reflection Time-of-Flight Mass Spectrograph (MRTOF-MS). Journal of Physics: Conference Series

IOP Publishing

2.2. Detector station

The detector station has a tape transport device to avoid radioactivity from the decay chains of the separated nuclides under the pulsed beam operation of KISS. An aluminized Mylar tape was moved at the end of each measurement cycle to remove unwanted radioactivity from the detection area.

We developed high-efficiency and low-background gas counter, named multi-segmented proportional gas counter (MSPGC) [13] which consists of 32 counters (16 pairs of telescope), in order to perform β - γ and laser spectroscopic studies by detecting β -particles emitted from rare reaction products. The absolute detection efficiency of the 16 telescope pairs in the MSPGC is as high as about 50% (multiplicity M = 2: one telescope fired event) for β -particles with $Q_{\beta} = 1$ MeV because of a lower energy threshold of around 100 keV than that of typical plasticscintillator β telescopes. The background rate was successfully reduced to be 0.1 cps from 1 cps.

Four Super Clover Ge detectors were installed to detect β -delayed γ -rays and γ -rays of deexcitation transitions from isomeric states. By using γ -rays from ¹⁵²Eu and ¹³³Ba, the absolute detection efficiency for γ -rays with an energy of 400 keV was measured as high as 14% owing to the close setup geometry of approximately 50 mm from the implantation position on the tape.

3. Experimental results

The present status of β - γ (red closed circle) and in-gas-cell laser (blue open circle) spectroscopy in the vicinity of N = 126 at KISS are shown in Fig 2. The blue, green, and red lines indicate the borders for charge-radius, mass, and lifetime known regions, respectively. Color codes indicate the stable nuclei, and nuclei whose magnetic dipole moment ($\mu_{\rm I}$) and electric quadrupole moment (Q) were measured. By using enriched ¹⁹⁸Pt and natural tungsten targets, we extracted 15 neutron-rich nuclei from the KISS gas cell until now, and performed β - γ spectroscopy. We can access the neutron-rich nuclei of refractory elements by selecting appropriate production targets at KISS. We plan to perform the laser spectroscopy for these nuclei as well as the β - γ spectroscopy and mass measurements intensively and systematically.

In the following section, we introduced the β - γ spectroscopy of ¹⁹⁸Os and the measurements of HFS spectra of ^{199g,199m}Pt.




Figure 2. Present status of β - γ and laser ionization spectroscopy performed at KISS.

2138 doi:10.1088/1742-6596/1643/1/012138

3.1. β - γ spectroscopy of osmium isotopes

We extracted ^{196g}Os ($T_{1/2} = 34.9 \pm 0.2 \text{ min}$ [19]) by using newly established laser ionization scheme of osmium isotopes [20] to confirm the firm extraction of osmium isotopes from the KISS gas cell, and clearly identified ^{196g}Os from the measured half-life $T_{1/2} = 35.3 \pm 1.4 \text{ min}$ and β delayed γ -ray spectrum.

Then, we extracted ^{197,198}Os and their daughter nuclei ^{197,198}Ir in series, as laser-produced ions, and performed their β - γ spectroscopy. The details were reported in Ref. [14]. For the first time, the β -decay half-life of ^{198g}Os was measured to be 125(28)s, and the half-life of ^{197g}Os was revised to 91(8)s.

The β -decay schemes of ^{198g}Os and ^{198g}Ir were partially established from this spectroscopic studies as shown in Fig. 3, for the first time. The γ -ray intensity per β -decay of ^{198g}Os was determined to be 20(6)% for the 230.6-keV




Figure 3. β -decay scheme of ¹⁹⁸Os [14].

transition. The β -decay branching ratios to 198g Ir and the excited states of 198 Ir were tentatively evaluated to be $\leq 80(6)\%$ and $\leq 20(6)\%$ with $\log(ft) \geq 5.29(10)$ and $\log(ft) \geq 5.69(16)$, respectively. The I^{π} value of 0^- or 1^- for 198g Ir was suggested from the analogy of 196g Os β -decay chains [21] reported as FF transitions with small $\log(ft) \simeq 5.3$. As the result, the first-forbidden transitions of $\nu(3p_{3/2})$ or $\nu(2f_{5/2}) \rightarrow \pi(2d_{3/2})$ are suggested to be dominant.

We performed precise β - γ spectroscopy of ¹⁹⁵Os, and establish its β -decay scheme for the first time. New long-lived isomeric state on ¹⁹⁵Os was found in the measurement. The details were reported in Ref. [22].

3.2. In-gas-cell laser ionization spectroscopy

Nuclear spin and electromagnetic moments are important values to discuss nuclear structures. These values can be determined through the investigation of hyperfine splitting [15, 23, 24] by an in-gas-cell laser spectroscopy technique. Because the broad HFS spectra measured by in-gas-cell laser ionization technique is mainly governed by the magnetic dipole moment. Therefore, we can determine the $\mu_{\rm I}$ value within 10% uncertainty [15, 23, 24], and measure the isotope shift to evaluate the nuclear deformation parameter based on droplet model [25].

The measurements of HFS spectra of ^{199g,199m}Pt were performed by the in-gas cell laser ionization technique [15], and Table 1 shows the present results. From the measured isotopes shifts, the change of charge radii $\delta \langle r^2 \rangle^{A,194}$ and nuclear deformation parameters $|\langle \beta^2 \rangle|^{1/2}$ for ^{199g,199m}Pt were deduced based on the droplet model as shown in Fig. 4. The $|\langle \beta_2^2 \rangle|^{1/2}$ for ^{199g}Pt and ^{199m}Pt were




Figure 4. Systematics of nuclear deformation parameters $|\langle \beta^2 \rangle|^{1/2}$ for platinum isotopes. Present values are indicated by red circles (^{192g,196g,198g,199g}Pt) and triangle (^{199m}Pt).

27th International Nuclear Physics Conference (II	IOP Publishing	
Journal of Physics: Conference Series	1643 (2020) 012138	doi:10.1088/1742-6596/1643/1/012138

evaluated to be 0.144(10) and 0.110(12). From the systematic trends of the deformation parameters for ${}^{193g-199g}$ Pt and isomeric state with $I^{\pi} = 13/2^+$, 199g Pt and 199m Pt were, respectively, oblately and prolately deformed. The details of the discussion were reported in Ref. [15].

Table 1. Results of the in-gas-cell laser ionization spectroscopy of ^{199g,199m}Pt [15].

-	Nuclide	I_{π}	$\mu_{ m I}~(\mu_{ m N})$	$\delta \langle r^2 \rangle^{A,194} \ (\text{fm}^2)$	$ \langle \beta^2 \rangle ^{1/2}$
	^{199g} Pt	$5/2^{-}$	+0.75(8)	0.268(34)	0.144(10)
	199m Pt	$13/2^{+}$	-0.57(5)	0.166(30)	0.110(12)

4. Future plan at KISS

In order to promote the further spectroscopic studies of more neutron-rich nuclei at KISS, we have been developing MRTOF-MS system for mass measurement and new narrow-band laser system for the precise in-gas-jet laser ionization spectroscopy.

4.1. MRTOF-MS at KISS

A new branch at the KISS beam line was installed as shown in Fig. 1 for mass measurements in this heavy region by using a MRTOF-MS. We can transport KISS beam to the MRTOF-MS by using an electric deflector for producing pulsed beam during the decay curve measurement at the decay station. Half-lives and masses can be simultaneously measured in one experiment. The MRTOF-MS has been successfully developed and applied for mass measurements [26, 27, 28, 29]. Now the MRTOF-MS is ready for mass measurements at KISS.

4.2. In-gas-jet laser ionization spectroscopy

To determine electromagnetic moments and isotope shifts with higher precision, we have developed an in-gas-jet laser ionization spectroscopy We installed De Laval noztechnique [17]. zle to make gas jet with uniform velocity distribution, S-shaped pseudo-RFQ (S-RFQ) for collinear laser spectroscopy, and a new narrowband laser system. The laser system consists of pumping laser of Nd:YAG (EdgeWave, 355nm, 60W), narrow-band seed laser (TOPTICA, DLC DL PRO HP), and dye-amplifier (Sirah). In the case of in-gas-jet laser ionization technique, the widths caused by the pressure broadening and Doppler broadening are drastically reduced from $\Gamma_{\rm p} = 10$ GHz to 0.05 GHz in FWHM and from $\Gamma_{\rm D}$ = 1.1 GHz to 0.4 GHz in FWHM, respectively, owing to the spectroscopy in low-pressure and low-temperature gas-jet. Owing to a narrowband laser system, the laser bandwidth becomes




Figure 5. HFS spectra of ¹⁹⁸Pt ($I^{\pi} = 0^+$) and ¹⁹⁴Pt ($I^{\pi} = 0^+$) measured by in-gas-cell and in-gas-jet laser ionization techniques, respectively. Horizontal axis shows the deviation from each λ_1 of the applied ionization schemes.

 $\Gamma_{\rm L} = 0.1$ GHz from 3.4 GHz in FWHM. Finally, the resolution will be improved to be approximately $\Gamma = 0.5$ GHz in FWHM.

Figure 5 shows HFS spectra of ¹⁹⁸Pt ($I^{\pi} = 0^+$) and ¹⁹⁴Pt ($I^{\pi} = 0^+$) measured by in-gascell and in-gas-jet laser ionization techniques, respectively, under the gas cell pressure of 80 kPa (background gas-pressure 50 Pa). No HFS splitting was observed due to $I^{\pi} = 0^+$ of both isotopes. Therefore, each width shows the intrinsic resolution obtained by each technique. The

27th International Nuclear Physics Conference (IOP Publishing	
Journal of Physics: Conference Series	1643 (2020) 012138	doi:10.1088/1742-6596/1643/1/012138

widths by in-gas-cell and in-gas-jet laser ionization techniques were measured to be 12.5(5) GHz and 0.6(1) GHz in FWHM, respectively. We drastically improved the resonance width by applying in-gas-jet laser ionization technique. Now we are optimizing the setup of in-gas-jet laser ionization spectroscopy for an on-line experiment.

5. Summary

The KEK Isotope Separation System (KISS) was installed at RIKEN to study the β -decay properties of neutron-rich isotopes with neutron numbers around N = 126 for applications in astrophysics. We can successfully extract the neutron-rich isotopes produced by the MNT reactions from the KISS gas cell, and performed β - γ and laser spectroscopic studies. We measured half-life of ¹⁹⁸Os for the first time, and performed β - γ spectroscopic studies of, especially, osmium isotopes. By using in-gas-cell laser ionization technique, we measured the HFS spectra of ^{199g,199m}Pt and ^{196,197,198}Ir isotopes, and determined the μ_I values and nuclear deformation parameters successfully. As the further spectroscopic studies at KISS, we plan to perform mass measurements by using MRTOF-MS and precise in-gas-jet laser ionization spectroscopy.

Acknowledgment

This experiment was performed at the RI Beam Factory operated by RIKEN Nishina Center and CNS, University of Tokyo. The authors acknowledge the RIKEN accelerator staff for their support. This work was supported by JSPS KAKENHI Grant Nos. JP23244060, JP24740180, JP26247044, JP15H02096, JP17H01132, JP17H06090, and JP18H03711.

References

- [1] E.M. Burbidge et al., Rev. Mod. Phys. 29 (1957) 547.
- [2] Y. Hirayama et al., Nucl. Instrum. Method B 353, 4 (2015).
- [3] Y. Hirayama *et al.*, Nucl. Instrum. Method B **376**, 52 (2016).
- [4] Y. Hirayama et al., Nucl. Instrum. Method B 412, 11 (2017).
- [5] Yu. Kudryavtsev et al., Nucl. Instr. and Meth. B 114 (1996) 350.
- [6] Yu. Kudryavtsev et al., Nucl. Instr. and Meth. B 179 (2001) 412.
- [7] M. Huyse et al., Nucl. Instr. and Meth. B 187 (2002) 535.
- [8] Yu. Kudryavtsev et al., Nucl. Instr. and Meth. B 204 (2003) 336.
- [9] M. Facina *et al.*, Nucl. Instr. and Meth. B 226 (2004) 401.
- [10] Yu. Kudryavtsev et al., Nucl. Instr. and Meth. B 267 (2009) 2908.
- [11] C.H. Dasso et al., Phys. Rev. Lett. 73 (1994) 1907.
- [12] Y.X. Watanabe et al., Phys. Rev. Lett. 115, 172503 (2015).
- [13] M. Mukai *et al.*, Nucl. Instru. and Meth. A 884 (2018) 1.
- [14] Y. Hirayama et al., Phys. Rev. C 98, 014321 (2018).
- [15] Y. Hirayama et al., Phys. Rev. C 96, 014307 (2017).
- [16] M. Mukai et al., unpublished. Doctor thesis in University of Tsukuba (2018).
- [17] Yu. Kudryavtsev et al., Nucl. Instr. and Meth. B 297 (2013) 7.
- [18] H.J. Xu et al., Nucl. Instru. and Meth. A 333 (1993) 274.
- [19] R. B. Firestone, Table of Isotopes (Wiley & Sons, New York, 1996).
- [20] Y. Hirayama et al., J. Phys. B 50, 215203 (2017).
- [21] P. E. Haustein, et al., Phys. Rev. C 16, 1559 (1977).
- [22] M. Ahmed et al., unpublished. Doctor thesis in University of Tsukuba (2019).
- [23] T.E. Cocolios et al., Phys. Rev. C 81 (2010) 014314.
- [24] R. Ferrer et al., Phys. Lett. B 728 (2014) 191.
- [25] W.D. Myers and K-H. Schmidt, Nucl. Phys. A 410 (1983) 61.
- [26] P. Schury et al., Phys, Rev. C 95 (2017) 011305(R).
- [27] Y. Ito et al., Phys, Rev. Lett. 120 (2018) 152501.
- [28] M. Rosenbusch et al., Phys, Rev. C 97 (2018) 064306.
- [29] S. Kimura et al., Int. J. Mass Spectrom. 430 (2018) 134.