PAPER • OPEN ACCESS

Effect of pre-treatment in the production of purplefleshed sweet potato flour on cookies quality

To cite this article: Z Ulfa et al 2019 IOP Conf. Ser.: Earth Environ. Sci. 260 012095

View the article online for updates and enhancements.

You may also like

- The Effect of Blanching Toward Chemical Properties and Sensory Quality of Brown Seaweed Sargassum Sp. Tea E Sinurat, J Basmal and T D Suryaningrum
- The characteristics of corn gluten-free cookies with modified cellulose as food additives
 Heny Herawati, Indah Kusniasari, Sunarmani et al.
- Effect of pre-treatment in the making of purple-fleshed sweet potato flour towards cake characteristics
 K Chuango, E Julianti and S Ginting





DISCOVER how sustainability intersects with electrochemistry & solid state science research



This content was downloaded from IP address 13.58.150.59 on 04/05/2024 at 18:57

IOP Publishing

Effect of pre-treatment in the production of purple-fleshed sweet potato flour on cookies quality

Z Ulfa¹, E Julianti^{1,2*} and M Nurminah¹

¹Department of Food Science and Technology, Faculty of Agriculture, Universitas Sumatera Utara, Medan, North Sumatera, Indonesia

²Centre for Tubers and Roots Crop Study, Faculty of Agriculture, Universitas Sumatera Utara, Medan, North Sumatera, Indonesia

E-mail: *elisa1@usu.ac.id

Abstract. The purpose of this research was to observe the effect of pre-treatment in the production of purple-fleshed sweet potato flour on cookies quality. There were four kinds of pre-treatment method (soaking in 2000 ppm sodium metabisulphite for 15 minutes, soaking in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minutes, steam blanching for 5 minutes and without pre-treatment as control). Data collected was analysed by using non factorial block design with 3 replicates. The results showed that the pre-treatment had highly significant effect on the colour, bulk density, moisture content and anthocyanin content of flour. The pre-treatment on flour processing had significant effect on cookies colour, volume expansion, hardness, moisture content, anthocyanin content, but had no significant effect on hedonic value of colour, aroma, taste, texture and overall acceptability of cookies. In conclusion, the best pre-treatment was soaking in 2000 ppm sodium metabisulphite solution for 15 minutes.

1. Introduction

In Indonesia, sweet potato is known as an edible tuber. Its young leaves and stems are often used as vegeTables. The white or yellow fleshed sweet potato had a sweeter taste than red, purple, or orange fleshed [1]. Sweet potatoes hold the first rank in nutrition among vegeTables [2]. The purple-fleshed sweet potato had the higher anthocyanins content. Anthocyanins are the most basic type of flavonoids from fruits and vegeTables [3] and they are responsible for the variety of colours from orange to purple [4]. The range of colours they produce can be used as a natural dyes [5]. Anthocyanins are very reactive toward free radicals present in the body due to their particular chemical structure which have an electron deficiency [6], consequently enabling them become the source of antioxidants, has the ability as antimutagenic and anticarsinogenic, prevent disruption of liver function, antihypertension, antihyperglicemic and the ability to enhance memory [6-9].

The utilization of sweet potatoes in Indonesia is still limited to foodstuffs and raw materials for food industry. The limited shelf life of sweet potato due to its perishability [10] become a constraint in the processing. Sweet potato can be processed into flour, which is less bulky, more sTable [10] and can be used as one way to increase national food security and diversification, lead to the reducing our dependency on the importing of wheat flour. The main problem in the processing of sweet potato flour is browning resulting from non-enzymatic (Maillard) reactions, caused mainly by reaction of reducing

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

IOP Publishing

sugars and amino acids at high temperature and also enzymatic browning caused by oxidation of phenols by polyphenol oxidase and peroxidase [11]. Blanching and soaking in sodium metabisulphite solution of sweet potato tubers or chips can reduce the deterioration during processing and improve acceptability of flour [11-12]. Therefore, the objective of this research was to study the effect of pre-treatment methods on the quality of flour and the made cookies from purple-fleshed sweet potato.

2. Materials and methods

The deep purple-fleshed sweet potato (PFSP) local varieties were purchased from farmers at Saree village, district Leumbah Seulawah, Aceh Besar, Indonesia. Other ingredients, such as margarine, eggs, salt, sugar and baking powder were purchased from a market in Medan, Indonesia.

2.1. Sample preparation and treatment

The clean tubers were peeled manually using stainless steel kitchen knife and sliced into 2 mmthickness by using the slicer electric machine. The chips were divided into four different pre-treatment samples; (1) soaked in 2000 ppm sodium metabisulphite solution for 14 minutes (SM), (2) soaked in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minutes (SMB), (3) steam blanching for 5 minutes (B) and (3) without pretreatment or control (C).

2.2. Preparation of PFSP flour

Each pretreated sample was dried using cabinet dryer at a temperature of 55°C for about 20 hours. The dehydrated chips were milled in a disc mill to produce flour which passed through an 80 mesh sieve. The sweet potato flour obtained was packaged on a polyethylene plastic bag and stored at room temperature $(28^{\circ}\pm2^{\circ}C)$ for further analysis.

2.3. Analysis of the physical, chemical and sensory properties of PFSP flour samples

The colour of PFSP flour samples were measured using Hunter colour lab system (L*, a* and b* value) with Chroma meter CR-400 (Minolta Camera Co. Ltd., Tokyo, Japan). The colour of sample was calculated as °Hue = \tan^{-1} (b/a) [13]. The bulk density and browning index of flour was determined by using the method described by Youn and Choun [14] and Okaka and Potter [15] respectively. Moisture content of flour was analysed by using AOAC [16]. The total anthocyanin content of flour was analysed by spectroscopy method [17]. The hedonic test by 25 non-trained panellist was used to determine the sensory characteristics of flour and 9 point hedonic scale (9 = extremely like and 1 = extremely dislike) was used.

2.4. Cookies production

The formulation and process of cookies production was referred to Singh *et al.* [18] with a minor modification. PFSP flour (100 g), margarine (45 g), eggs (56 g), salt (1 g), sugar (30 g), baking powder (0.5 g) and water (depends on the consistency of the dough, until moldable dough was obtained). Margarine and sugar were mixed with a hand mixer at high speed for 3 minutes until it forms a smooth cream. Whole eggs were added and beaten for 3 minutes. Then, the PFSP flour, baking powder and cream and salt were added to the dough, stirred manually using a wooden spoon until all were completely blended. The dough was shaped using sheet roller until the dough thickness about 5 mm, then cut with a cookies cutter (mold) to obtain the uniform size, i.e. 50 mm. Pieces of cookies were placed on a baking sheet and baked using an oven toaster at approximate temperature of 180 °C for 35 minutes. The finished cookies were taken out, cooled and packaged in polyethylene plastic packaging, then kept in a plastic jar and stored at room temperature for 1 day prior to analysis. Cookies made of 100% wheat flour were used as a control.

2.5. Analysis of cookies quality

The physical, chemical and sensory quality of the cookies samples were determined. The colour of cookies was determined by using a Minolta Chroma Meter CR-400 (Minolta Camera Co., Ltd, Tokyo,

Japan) and the colour was expressed by L* value (lightness) and hue angle $(\tan^{-1} b/a)$ [13]. Cookies hardness was determined using a Texture Analyser (TA-XT2, STable Micro System) according to AACC Method [19]. Spread factor of cookies were found by measuring the cookies width and thickness according to the AACC method [19]. The specific volume was determined by the displacement seed method and calculated according to AACC method [19]. Moisture and anthocyanin content of cookies were determined according to the AOAC method [16] and Giusti and Wrolstad method [17] respectively. Cookies samples were organoleptically evaluated for their sensory characteristics. Hedonic score with 9 point (9=extremely like and 1= extremely dislike) was used for the colour, aroma, taste, texture, crispiness and overall acceptability of cookies.

2.6. Data analysis

Data using a randomized block design were analysed using SPSS ver.22 for windows. The data reported in all Tables are average of triplicate observations subjected to one-way analysis of variance (ANOVA). Differences among the ranges of the properties were determined using the method of Least Significant Ranges (LSR) tests at 95% confidence (P<0.05).

3. Results and Discussions

3.1. Effect of pre-treatment on physical, chemical and sensory properties of PFSP flour

Table 1 shows a significant difference at 5% level in the value of °Hue, L *, a*, b* and bulk density, but there was no significant difference in the browning index. PFSP flour made from pre-treatment by soaking chips in sodium metabisulphite solution had higher L* (lightness) value and lower °Hue, browning index and bulk density. This implies that the sodium metabisulphite pretreatment results in prevention of enzymatic browning of the flour [12]. The reduced °Hue value from 22.61 in control to a range of 13.55 - 19.13 on the pretreated flour samples were obtained. It was influenced by the stability of the anthocyanin pigment (cyanidin and peonidin) which contributed in the formation of blue or purple hue on PFSP [20]. The sodium metabisulphite pretreated PFSP flour recorded the lowest b* value among the pretreatment methods. This result shows that the sodium metabisulphite pre-treated PFSP flour was less yellow than the other samples. The positive a* values obtained from all of flour samples indicated that the colour of flour is more red.

Parameter —	Pre-treatment			
	SM	SMB	В	С
Colour (°Hue)	13.55±1.03°	17.78±0.50 ^b	19.13±0.95 ^b	22.62±1.77 ^a
L* value	54.68 ± 0.49^{a}	52.21 ± 0.98^{b}	48.25±1.19°	50.14±0.72°
a* value	10.96 ± 0.20^{a}	11.16±0.15 ^a	$9.22{\pm}0.36^{b}$	10.00 ± 0.58^{b}
b* value	$2.64{\pm}0.18^{d}$	3.21 ± 0.10^{b}	3.19±0.05°	$4.16{\pm}0.28^{a}$
Browning index	$0.54{\pm}0.02$	0.61 ± 0.03	$0.60{\pm}0.02$	$0.61 {\pm} 0.04$
Bulk density	$0.59{\pm}0.01^{b}$	0.69±0.00 ^{a.}	0.70±0.03 ^a	$0.63 {\pm} 0.04$ ^b
(almoI)				

Table 1. The effects of pre-treatment on physical properties of PFSP flow	r^{1}
---	---------

(g/mL)

¹⁾ SM= soaking in 2000 ppm sodium metabisulphite solution for 15 minutes. SMB = soaking in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minute. B = steam blanching for 5 minutes. C = without pre-treatment (control).

The values are expressed as the mean of three replicates.

A number followed by different letters in a row show significantly different (P <0.05) with LSR test.

Table 2 shows a significant difference (P<0.05) in the lowest moisture content of flour was found in the blanching pretreated sample, but the higher anthocyanin content was found in sodium metabisulphite pretreated PFSP flour. Blanching has been reported to improve the drying rates of

green peppers [21]. Blanching can increase the cell walls permeability and faster the water migration to the surface for removal [22]. Sulphur content in sodium metabisulphite can both maintain the stability of anthocyanin and also the colour value. This happens because sodium metabisulphite protects the colour compounds from materials [23].

Dra traatmant	Parameters			
	Moisture content (% wb)	Anthocyanins content (mg/L)		
SM	6.15±0.11 ^{ab.}	387.42±9.72 ^a		
SMB	5.76±0.26 ^{b.}	237.92±7.87 ^b		
В	$4.93{\pm}0.80^{\circ}$	162.30±6.98°		
C	6.85±0.11 ^a	231.52 ± 8.78^{b}		

Table 2. Effect of pre-treatment methods on chemical properties of PFSP flour¹⁾

¹⁾ SM= soaking in 2000 ppm sodium metabisulphite solution for 15 minutes. SMB = soaking in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minute. B = steam blanching for 5 minutes. C = without pre-treatment (control).

The values are expressed as the mean of three replicates.

A number followed by different letters in a row show significantly different (P <0.05) with LSR test.

Table 3 shows that there is no significant difference in hedonic values of colour and aroma among the flour samples. The sensory of colour and aroma for all sweet potato flour were liked slightly – moderately.

Pre-treatment	Hedonic values		
methods	Colour	Aroma	
SM	5.97±0.12	5.20±0.16	
SMB	5.51 ± 0.58	4.60±0.28	
В	5.27±0.19	4.73±0.15	
С	5.32±0.18	4.88 ± 0.24	

Table 3. The effects of pre-treatment methods on sensory properties of PFSP flour¹⁾

¹⁾ SM= soaking in 2000 ppm sodium metabisulphite solution for 15 minutes. SMB = soaking in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minute. B = steam blanching for 5 minutes. C = without pre-treatment (control).

The values are expressed as the mean of three replicates.

3.2. Quality of cookies from the pre-treated PFSP flour

There were significant differences (P<0.05) on all parameters of physical characteristics of cookies except spread factor (Table 4). Cookies of PFSP flour made from steam blanching treatment chips (B) had higher °Hue value. Cookies of PFSP flour made from chips soaking in sodium metabisulphite solution (SM) had higher value of L*, a*, b* and hardness. Cookies of PFSP flour made from chips soaking in sodium metabisulphite solution followed by steam blanching (SMB) had higher specific volume. The differences of the cookies colour were due to the differences in PFSP flour colour and also Maillard reactions and caramelization during baking. Maillard tanning was due to the reaction of carbonyl compounds derived from the breakdown of carbohydrates or fats with amino compounds in the material. The caramelization occurred because the material was heated at high temperature [24]. Anthocyanins were positively associated with redness [25]. The specific volume of PFSP cookies was influenced by the fibre content of sweet potato flour [18] [26].

Parameter	Pre-treatment			
	SM	SMB	В	С
Colour (°Hue)	28.94±2.28 ^b	34.22±2.66 ^a	36.39±2.11ª	29.21±0.77 ^b
L* value	26.35±1.23ª	23.70 ± 0.37^{b}	24.08 ± 0.34^{b}	$24.34{\pm}1.14^{b}$
a* value	$4.29{\pm}0.29^{a}$	$3.62{\pm}0.08^{b}$	$2.67 \pm 0.28^{\circ}$	$3.47{\pm}0.12^{b}$
b* value	$2.37{\pm}0.08^{a}$	2.47 ± 0.23^{a}	1.96 ± 0.19^{b}	$1.94{\pm}0.07^{b}$
Specific Volume (cm ³ /g)	58.02±0.26 ^b	62.11±1.52 ^a	52.87±0.35°	59.14±0.65 ^b
Spread factor	7.17±0.34	7.08 ± 0.31	7.16 ± 0.48	6.91±0.54
Hardness	3994.00 ± 93.98^{a}	3132.50±289.68 ^b	2578.42 ± 151.71^{bc}	2526.24±359.84°

Table 4. The effect of pre-treatment on physical quality of cookies from the pre-treated PFSP flour¹⁾

¹⁾ SM= soaking in 2000 ppm sodium metabisulphite solution for 15 minutes. SMB = soaking in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minute. B = steam blanching for 5 minutes. C = without pre-treatment (control).

The values are expressed as the mean of three replicates.

A number followed by different letters in a row show significantly different (P <0.05) with LSR test.

 Table 5. The effects of pre-treatment on chemical quality of cookies from the pre-treated PFSP flour¹⁾

Pre- treatment	Parameter		
	Moisture content (% wb)	Anthocyanins(mg/L)	
SM	4.34±0.37 ^b	138,45±3,02ª	
SMB	3.79±0.24°	58,75±7,05°	
В	$3.58{\pm}0.08^{\circ}$	34,32±1,01 ^{d,}	
С	4.76±0.18ª	117,51±5,33 ^b	

¹⁾ SM= soaking in 2000 ppm sodium metabisulphite solution for 15 minutes. SMB = soaking in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minute. B = steam blanching for 5 minutes. C = without pre-treatment (control).

The values are expressed as the mean of three replicates.

A number followed by different letters in a row show significantly different (P <0.05) with LSR test

Table 6. The effect of pre-treatment on sensory	v quality of cookies from pre-treated PFSP flour ¹⁾
---	--

Parameter		Pre-treatment		
Hedonic values	SM	SMB	В	С
Colour	5.83±0.30	5.81±0.16	5.84 ± 0.17	5.95±0.16
Aroma	4.93±0.28	5.08 ± 0.37	5.01±0.25	5.17 ± 0.06
Taste	4.97±0.22	5.12±0.26	4.93±0.22	5.00 ± 0.17
Texture	5.69 ± 0.06	5.49 ± 0.57	5.92 ± 0.11	5.31 ± 0.47
Crispiness	5.77±0.12	5.69 ± 0.64	6.28 ± 0.28	5.55 ± 0.47
Overall				
acceptability	5.77±0.02	5.67±0.35	6.08 ± 0.14	5.56±0.32

¹⁾ SM= soaking in 2000 ppm sodium metabisulphite solution for 15 minutes. SMB = soaking in 2000 ppm sodium metabisulphite solution for 15 minutes followed by steam blanching for 5 minute. B = steam blanching for 5 minutes. C = without pre-treatment (control).

The values are expressed as the mean of three replicates.

Table 5 shows a significant difference (P < 0.05) on moisture and anthocyanins content of cookies. The cookies of PFSP flour from chips steam blanching (B) produced lower moisture content. Moisture content in cookies was influenced by PFSP flour moisture content. Therefore, the lower moisture

content of the cookies was due to the lowest moisture content of PFSP flour with steam blanching pretreatment. In contrast, the cookies of PFSP flour from chips soaking in sodium metabisulphite solution (SM) produced higher anthocyanins.

Table 6 shows no significant difference (P>0.05) on hedonic values of colour, aroma, taste, texture, crispiness and overall acceptability of cookies from pre-treated PFSP flour. In general, cookies made from PFSP treated flour can be accepted by panellist (liked slightly – moderately).

4. Conclusion

The study indicates that pre-treatment affects resulted PFSP flour and also the quality of cookies. PFSP cookies were made from PFSP flour pretreated by soaking in 2000 ppm sodium metabisulphite for 15 minutes is more accepTable according to its sensorial characteristics and had adequate content of anthocyanin. Purple-fleshed sweet potato is an accepTable and an alternative crop that could be used in the production of cookies.

References

- Aguoru C U, Uhia P and Olasan O 2015 Varietal characterisation and taxonomic evaluation of sweet potato (*Ipomoea batatas*) using macro- and micromorphological evidence *Open Access Library Journal* 2 pp 1-7
- [2] Milind P and Monika 2015 Sweet potato as a super food *International Journal of Research Ayuverda Pharmacology* **6** pp 557-62
- [3] Delgado-Vargas F and Parades-Lopez O 2003 Natural colourants for food and nutraceutical uses (Boca Raton: CRC Press) p 326
- [4] Montilla E C, Hillebrand S and Winterhalter P 2011 Anthocyanins in purple sweet potato (*Ipomea batatas* L.) varieties *Global Science Book* **5** pp 19-24
- [5] Lu L, Zhou Y, Zhang Y, Ma Y, Zhou L, Li L, Zhou Z and He T 2010 Anthocyanin extracts from purple sweet potato by means of microwave baking and acidified electrolysed water and their antioxidation in vitro *International Journal of Food Science & Technology* **45** pp 1378-85
- [6] Miguel M G 2011 Anthocyanins: Antioxidant and/or anti-inflammatory activities *Journal of Applied Pharmaceutical Science* **01** pp 7-15
- [7] Ghosh D and Konishi T 2007 Anthocyanins and anthocyanin-rich extracts: role in diabetes and eye function *Asia Pac. J. Clin. Nutr.* **16** pp 200-8
- [8] Cho J, Kang J S, Long P H, Jing J, Back Y and Chung KS 2003 Antioxidant and memory enhancing effects of purple sweet potato anthocyanin and cordyceps mushroom extract *Archives of Pharmacal Research* **26** pp 821-5
- [9] Hwang Y P, Choi J H, Choi J M, Chung Y C and Jeong H G 2011 Protective mechanisms of anthocyanins from purple sweet potato against tert-butyl hydroperoxide-induced hepatotoxicity *Food and Chemical Toxicology* **49** pp 2081-9
- [10] Sugri I, Maalekuu B K, Kusi F and Gaveh E 2017 Quality and shelf-life of sweet potato as influenced by storage and postharvest treatments *Trends in Horticulture Research* **7** pp 1-10
- [11] Krishnan J G, Padmaja G, Moorthy S S 2010 Effect of pre-soaking treatments on the nutritional profile and browning index of sweet potato and yam flours *Innovative Food Science & Emerging Technology* 11 pp 387-93
- [12] Buckman S, Plahar W A, Oduro I N and Carey E E 2015 Effects of sodium metabisulphite and blanching pretreatments on the quality characteristics of yam bean (*Pachyrhizus erosus*) flour *British Journal of Applied Science & Technology* 6 pp 138-44
- [13] Hutchings J B 1999 Food Colour and Appearance (Maryland: Aspen Publisher Gaithersburg)
- [14] Youn K S and Choi Y H 1996 Drying characteristics of osmotically pre-treated carrot Korean Journal of Food Science and Technology 28 pp 11-28
- [15] Okaka J C and Potter N N 1977 Functional and storage properties of cowpea powder-wheat flour blends in bread making *Journal of Food Science* 42 pp 828-33

- [16] AOAC 1995 Official Methods of Analysis of the Association of Official Analytical Chemists (Arlington VA: Association of Analytical Chemists Inc)
- [17] Giusti M M, Wrolstad R E 2001 *Characterization and Measurement of Anthocyanin by UV-Visible Spectroscopy* (John Wiley and Sons Inc.)
- [18] Singh S, Riar C S and Saxena D C 2008 Effect of incorporating sweet potato flour to wheat flour on the quality characteristics of cookies *African Journal of Food Science* **2** pp 65-72
- [19] AACC 2000 Approved Methods of the American Association of Cereal Chemists 10th Edn. (St Paul: American Association of Cereal Chemists Press)
- [20] Truong V D, Deighton N, Thompson R T, Mcfeeters R F, Dean L O, Pecota K V and Yencho G C 2010 Characterization of anthocyanins and anthocyanidins in purple-fleshed sweet potatoes by HPLC-DAD/ESI-MS/MS *Journal Agriculture Food Chemistry* 58 pp 404–10
- [21] Kaymak-Ertekin F 2002 Drying and rehydrating kinetics of green and red peppers J Food Sci 67 pp 168-75
- [22] Rocha T, Lebert A and Marty-Audouin C 1993 Effect of pretreatments and drying conditions on drying rate and colour retention of basil (*Ocimum basilicum*) Lebensmittel Wissenschaft und Technologie 26 pp 456-63
- [23] Lotfi L, Kalbasi A A, Hamedi M and Ghorbani F 2015 Effects of sulfur water extraction on anthocyanins properties of tepals in flower of saffron (*Crocus sativus* L) Journal Food Science Technology 52 pp 813–21
- [24] Eskin N A M, Henderson H M and Towsend J 1971 *Biochemistry of Food* (London: Academic Press).
- [25] Han F, Ju Y, Ruan X, Zhao X, Yue X, Zhuang X, Qin M and Fang Y 2017 Colour, anthocyanin and antioxidant characteristics of young wines produced from spine grapes (*Vitis davidii* Foex) in China Food and Nutrition Research 61 pp 1-11
- [26] Srivastava S, Genitha T R and Yadav V 2012 Preparation and quality evaluation of flour and biscuit from sweet potato *Journal of Food Processing and Technology* **3** pp 1-5

Acknowledgment

We wish to thank Research Institution of Universitas Sumatera Utara for providing funding this research, according to the research contract TALENTA Universitas Sumatera Utara 2017 No. 5338/UN5.1.R/PPM/2017 dd. 22 May 2017